# Safety Data Sheet Natural Silicone Sealant

# **Revision Date: 02/19/2024**

#### Section 1. Identification

1.1. Product identifier

**Product Identity** Smartbuy All Purpose Silicone

Alternate Names Natural Silicone Sealant

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use N/A

1.3. Details of the supplier of the safety data sheet

Company Name FINESIL TECHNOLOGY INC.

No. 78, Guangfu N. Rd., Hukou Township, Hsinchu

County 303036, Taiwan (R.O.C.)

 Emergency
 +886 918 863 772

 24 hour Emergency Telephone No.
 +886 3 5982929

 Customer Service:
 +886 3 5982929

#### Section 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation.

Eye Irrit. 2;H319 Causes serious eye irritation.

Skin Sens. 1;H317 May cause an allergic skin reaction.

Carc. 1A;H350 May cause cancer.

Repr. 1;H360 May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated STOT RE 2;H373

exposure. Specific Target Organs

Aquatic Chronic 3;H412 Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements



**Danger** 

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

# [Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust, fume, mist, vapors or spray.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, and face protection.

#### [Response]

P301+310 IF SWALLOWED: Immediately call a POISON CENTER, doctor or physician.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P314 Get Medical advice or attention if you feel unwell.

P331 Do NOT induce vomiting.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362 Take off contaminated clothing and wash before reuse.

#### [Storage]

P405 Store locked up.

### [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

# Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Polydimethylsiloxane hydroxy terminated	> = 40 - < = 80	Not Classified	
CAS Number: 70131-67-8			
Calcium carbonate	>=3 - < =5	Not Classified	
CAS Number: 471-34-1			

Distillates (petroleum), hydrotreated middle	>=5 - <=15	Carc. 1B;H350	
CAS Number: 64742-46-7			
Synthetic Amorphous, Pyrogenic Silica	>=2.1 - < = 8.5	Combustible Dust	
CAS Number: 112945-52-5		Skin Irrit. 2;H315	
		Eye Irrit. 2;H319	
		STOT SE 3;H335	
2-Butanone, O,O',O''-(methylsilylidyne)trioxime	>=2.9 - < = 4.9	Skin Sens. 1B;H317	
CAS Number: 22984-54-9		Eye Irrit. 2;H319	
		Carc. 1B;H350	
		STOT RE 2;H373	
3-Aminopropyltriethoxysilane	>=0.68 - < =1.3	Acute Tox. 4;H302	
CAS Number: 919-30-2		Skin Corr. 1B;H314	
		Skin Sens. 1;H317	
N-(3-(Trimethoxysilyl) propyl)-1,2- ethanediamine	>=0.54 - < =1.1	Skin Sens. 1B;H317	
CAS Number: 1760-24-3		Eye Dam. 1;H318	
		Acute Tox. 4;H332	
		STOT RE 2;H373	
Vinyltris(methylethylketoximino)silane	>=0.15 - < = 0.9	Skin Sens. 1B;H317	
CAS Number: 2224-33-1		Eye Dam. 1;H318	
		STOT RE 2;H373	
		Carc. 1A;H350	
Dibutyltin dilaurate	>=0.04 - < =0.9	Eye Irrit. 2;H319	
CAS Number: 77-58-7		Skin Sens. 1;H317	
		Muta. 2;H341	
		Repr. 1;H360	
		STOT SE 1;H370	
		STOT RE 1;H372	
		Aquatic Chronic 1;H410	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

The full texts of the phrases are shown in Section 16.

# Section 4. First aid measures

# 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

<sup>\*</sup>PBT/vPvB - PBT-substance or vPvB-substance.

**Eyes** Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart

and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

Treat symptomatically. Check section 2.2 (GHS Label Elements) for further details.

**Eyes** Causes serious eye irritation.

**Skin** May cause an allergic skin reaction. Causes skin irritation.

# **Section 5. Fire-fighting measures**

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.

Unsuitable extinguishing media: Do not use water jet.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Do not breathe dust, fume, mist, vapors or spray.

Do not get in eyes, on skin, or on clothing.

# 5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. ----

#### Section 6. Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet.

Promptly remove soiled clothing and wash thoroughly before reuse.

# 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

# Section 7. Handling and storage

# 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

# 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

# 7.3. Specific end use(s)

No available information

# Section 8. Exposure controls / personal protection

# 8.1. Control parameters

# **Exposure**

CAS No.	Ingredient	Source	Value
77-58-7	Dibutyltin dilaurate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
471-34-1	Calcium carbonate	OSHA	TWA 10 mg/m³ (total) TWA 5 mg/m³ (resp)
		ACGIH	No Established Limit
		NIOSH	TWA 10 mg/m³ (total) TWA 5 mg/m³ (resp)
919-30-2	3-Aminopropyltriethoxysilane	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
1760-24-3	N-(3-(Trimethoxysilyl) propyl)-1,2-	OSHA	No Established Limit
	ethanediamine	ACGIH	No Established Limit
		NIOSH	No Established Limit
2224-33-1	Vinyltris(methylethylketoximino)silane	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
22984-54-9	2-Butanone, O,O',O''-(methylsilylidyne)trioxime	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
64742-46-7	Distillates (petroleum), hydrotreated middle	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
70131-67-8	Polydimethylsiloxane hydroxy terminated	OSHA	No Established Limit

		ACGIH	No Established Limit
		NIOSH	No Established Limit
112945-52-5	Synthetic Amorphous, Pyrogenic Silica	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m<sup>3</sup> OSHA PEL and 5 mg/m<sup>3</sup> ACGIH.

# 8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use

the appropriate, certified respirators.

Wear safety glasses with side shields to protect the eyes. An eye wash station is **Eves** 

suggested as a good workplace practice.

Skin Avoid skin contact. Wear PVC or rubber gloves to keep skin contact to a minimum.

Refer to the manufacturer's recommendations regarding the suitability of any

gloves used.

Provide adequate ventilation. Where reasonably practicable this should be **Engineering Controls** 

> achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking

or using toilet. Promptly remove soiled clothing and wash thoroughly before

Check section 2.2 (GHS Label Elements) for further details.

#### Section 9. Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

**Appearance Light Gray Paste** 

Odor Slight

**Odor threshold** No available information рΗ No available information No available information Melting point / freezing point Initial boiling point and boiling range No available information **Flash Point** No available information **Evaporation rate (Ether = 1)** No available information Flammability (solid, gas) No available information Upper/lower flammability or explosive limits No available information Vapor pressure (Pa) No available information

**Vapor Density** No available information Relative Density 1.41

No available information **Solubility in Water** Partition coefficient n-octanol/water (Log Kow) No available information **Auto-ignition temperature** No available information **Decomposition temperature** No available information Viscosity (cSt) No available information **VOC Content** No available information No available information **Oxidising properties** No available information **Explosive properties** 

# 9.2. Other information

No other relevant information.

# Section 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

# 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No available information

# 10.4. Conditions to avoid

Avoid high temperatures and contact with incompatible material

#### 10.5. Incompatible materials

No available information

### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

# **Section 11. Toxicological information**

# **Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation  Dust/Mist LC50,  mg/L/4hr	Inhalation Gas LC50, ppm
Polydimethylsiloxane hydroxy terminated - (70131-67-8)	No data available.	No data available.	No data available.	No data available.	No data available.

Calcium carbonate - (471-34-1)	> 2,000.00, Rat -	> 2,000.00, Rat -	No data	> 3.00, Rat -	No data
	Category: NA	Category: NA	available.	Category: NA	available.
Distillates (petroleum), hydrotreated middle - (64742-46-7)	> 5,000.00, Rat -	> 2,000.00, Rabbit	No data	5.40, Rat -	No data
	Category: NA	- Category: NA	available.	Category: 5	available.
Synthetic Amorphous, Pyrogenic Silica - (112945-52-5)	No data	No data	No data	No data	No data
	available.	available.	available.	available.	available.
2-Butanone, O,O',O''-(methylsilylidyne)trioxime - (22984-54-9)	2,453.00, Rat -	> 2,000.00, Rat -	No data	No data	No data
	Category: 5	Category: NA	available.	available.	available.
3-Aminopropyltriethoxysilane - (919-30-2)	2,830.00, Rat -	4,290.00, Rabbit -	No data	> 7.35, Rat -	No data
	Category: 5	Category: 5	available.	Category: NA	available.
N-(3-(Trimethoxysilyl) propyl)-1,2- ethanediamine - (1760-24-3)	2,295.00, Rat -	> 2,000.00, Rabbit	No data	> 1.49, Rat -	No data
	Category: 5	- Category: NA	available.	Category: NA	available.
Vinyltris(methylethylketoximino)silane - (2224-33-1)	> 2,000.00, Rat -	> 2,009.00, Rat -	No data	No data	No data
	Category: NA	Category: NA	available.	available.	available.
Dibutyltin dilaurate - (77-58-7)	2,071.00, Rat -	> 2,000.00, Rat -	No data	No data	No data
	Category: 5	Category: NA	available.	available.	available.

# **Carcinogen Data**

CAS No.	Ingredient	Source	Value
77-58-7	Dibutyltin dilaurate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
471-34-1	Calcium carbonate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
919-30-2	3-Aminopropyltriethoxysilane	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
1760-24-3	N-(3-(Trimethoxysilyl) propyl)-1,2-	OSHA	Regulated Carcinogen: No;
	ethanediamine	NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit
2224-33-1	Vinyltris(methylethylketoximino)silane	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
		ACGIH	No Established Limit

22984-54-9	2-Butanone, 0,0',0''-	OSHA	Regulated Card	inogen: No;			
	(methylsilylidyne)trioxime	NTP	Known: No; Su	ispected: No;			
		IARC	Group 1: No;	Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Established	Limit			
64742-46-7	Distillates (petroleum), hydrotreated	OSHA	Regulated Card	Regulated Carcinogen: No;			
	middle	NTP	Known: No; Su	ispected: No;			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH	No Established	Limit			
70131-67-8	Polydimethylsiloxane hydroxy	OSHA	Regulated Card	inogen: No;			
	terminated	NTP	Known: No; Su	ispected: No;			
		IARC	Group 1: No;	Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Established	Limit			
112945-52-5	Synthetic Amorphous, Pyrogenic Silica	OSHA	Regulated Card	inogen: No;			
		NTP	Known: No; Su	ispected: No;			
		IARC	Group 1: No;	Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;			
		ACGIH	No Established Limit				
Classification		Ca	itegory	Hazard Description			
Acute toxic	ity (oral)			Not Applicable			
Acute toxic	ity (dermal)		Not Applicable				
Acute toxic	ity (inhalation)		Not Applicable				
Skin corrosi	ion/irritation		2	Causes skin irritation.			
Serious eye	damage/irritation		2	Causes serious eye irritation.			
Respiratory	sensitization			Not Applicable			
Skin sensiti:	zation		1	May cause an allergic skin reaction.			
Germ cell n	nutagenicity			Not Applicable			
Carcinogen	icity		1A	May cause cancer.			
Reproducti	ve toxicity		1	May damage fertility or the unborn child.			
STOT-single	e exposure			Not Applicable			
STOT-repeated exposure			2	May cause damage to organs through prolonged			
				or repeated exposure.			
Aspiration I	nazard			Not Applicable			

# **Section 12. Ecological information**

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

# **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Polydimethylsiloxane hydroxy terminated - (70131-67-8)	No data available.	No data available.	No data available.
Calcium carbonate - (471-34-1)	> 100.00, Oncorhynchus mykiss	> 100.00, Daphnia magna	> 14.00, Desmodesmus subspicatus
Distillates (petroleum), hydrotreated middle - (64742-46-7)	21.00, Oncorhynchus mykiss	210.00, Daphnia magna	10.00, Raphidocelis subcapitata
Synthetic Amorphous, Pyrogenic Silica - (112945-52-5)	No data available.	No data available.	No data available.
2-Butanone, O,O',O''-(methylsilylidyne)trioxime - (22984-54-9)	843.00, Pimephales promelas	201.00, Daphnia magna	16.00, Raphidocelis subcapitata
3-Aminopropyltriethoxysilane - (919-30-2)	> 934.00, Danio rerio	> 100.00, Daphnia magna	> 1,000.00, Desmodesmus subspicatus
N-(3-(Trimethoxysilyl) propyl)-1,2- ethanediamine - (1760-24-3)	597.00, Danio rerio	81.00, Daphnia magna	8.80, Raphidocelis subcapitata
Vinyltris(methylethylketoximino)silane - (2224-33-1)	843.00, Pimephales promelas	201.00, Daphnia magna	15.00, Raphidocelis subcapitata
Dibutyltin dilaurate - (77-58-7)	21.20, Danio rerio	2.55, Daphnia magna	> 1.00, Desmodesmus subspicatus

# 12.2. Persistence and degradability

There is no data available on the preparation itself.

# 12.3. Bioaccumulative potential

No available information

# 12.4. Mobility in soil

No available information

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No available information

# **Section 13. Disposal considerations**

# 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA Transportation) Transportation)

**14.1. UN number** Not Regulated Not Regulated Not Regulated

**14.2. UN proper shipping** Not Regulated Not Regulated Not Regulated

name

**14.3. Transport hazard DOT Hazard Class:** Not **IMDG:** Not Applicable **Air Class:** Not

class(es) Applicable Sub Class: Not Applicable

Sub Class: Not Applicable Applicable Sub Class: Not

Applicable

**14.4. Packing group** Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

Marine Pollutant: No;

14.6. Special precautions for user

No available information

# Section 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

# **Toxic Substance Control Act (TSCA)**

CAS Number	Ingredient	Toxic Substance Control Act	Comments	Status
1760-24-3	N-(3-(Trimethoxysilyl) propyl)-1,2- ethanediamine	Yes		ACTIVE
22984-54-9	2-Butanone, O,O',O''-(methylsilylidyne)trioxime	Yes		ACTIVE
919-30-2	3-Aminopropyltriethoxysilane	Yes		ACTIVE
471-34-1	Calcium carbonate	Yes		ACTIVE
77-58-7	Dibutyltin dilaurate	Yes		ACTIVE
64742-46-7	Distillates (petroleum), hydrotreated middle	Yes	UVCB	ACTIVE
70131-67-8	Polydimethylsiloxane hydroxy terminated	Yes	UVCB XU	ACTIVE
112945-52-5	Synthetic Amorphous, Pyrogenic Silica	No		
2224-33-1	Vinyltris (methylethylket oximino) silane	Yes		ACTIVE

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

#### Section 16. Other information

# **Revision Date** 02/19/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

**End of Document**